

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

533258

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
21 May 2004 (21.05.2004)

PCT

(10) International Publication Number
WO 2004/040968 A1

(51) International Patent Classification⁷: A01K 29/00

(21) International Application Number:
PCT/KR2003/002021

(22) International Filing Date: 1 October 2003 (01.10.2003)

(25) Filing Language: Korean

(26) Publication Language: English

(30) Priority Data:
20-2002-0033063
5 November 2002 (05.11.2002) KR

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant and

(72) Inventor: KWON, Yong-Tae [KR/KR]; 406 Bomoon Office, 56-4, Daeheung-dong, Joong-gu, Daejeon 301-802 (KR).


(74) Agent: KIM, Won-Joon; 305, Soohyup Bldg., 917, Dunsan-dong, Seo-gu, Daejeon 302-828 (KR).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: BAG FOR PET ANIMAL



(57) Abstract: This invention is about a bag for a pet. It has fluid acceptance space which is suitable for physical character of a pet. Also it makes a pet safe and a man easy to walk as wearing more closer to his body. It consist of a main body which of space made bottom gradient to body direction from the front of be in pet's head, a form frame which set a pair with a flexible cushion on open surface and get smaller in diameter, and a changeable length shoulder strap which link both of a main body.

WO 2004/040968 A1

BAG FOR PET ANIMAL

5 TECHNICAL FIELD

It is about the moving bag for a pet to move a pet easily.

First of all, it has space suitable for a physical characteristic of a pet, so it can keep and move with maintaining comfortable position.

10 Second, it makes a pet feel easy as closing the open-part, when he sleeps or it rains or it is a cold wave.

Third, a man can walk easy and free two hands because of wearing a bag closest to body.

15 Lastly, a pet feels coziness in his master's bosom and both of a pet and man have convenience at walk.

BACKGROUND

20 Generally, the pet's bag divide a knapsack type wearing forward and a sports type wearing aside.

The former is the way to tie a belt crossed to the neck, so it is uncomfortable. And it consists of X-type belt crossing on the back and fixed belt,

so it has a problem to set-up from length controlling.

The latter has a problem it can not keep a pet comfortable because it dose not consider physical condition of a pet.

5 The pet feel most comfortable when he down with a stoop like a FIG 3, then he keeps his neck straightly and his body at the back is bigger than forward.

10 For protect a pet's body from the outside and keep him most comfortable pose, it has to possess space to cover all body except face.

But the existing pet bag didn't satisfy these conditions,

And the existing pet-bag makes a pet comfortable when he sleeps or it rains or it is a cold wave, but it has a problem with open-close control of a bag.

15 Also it feels bad because it doesn't adhere closely to user's body when he put on a bag crossly and feel pets uneasy because of shaking on walk.

20 **DISCLOSURE OF THE INVENTION**

It is suggested to solve the above problems.

The main body of the bag has, considering physical feature of pets,

a space to keep most comfortable pose for pets.

The open-close control of the bag is easy to stick a pet's head outside if necessary. The form-holder of the bag adhere closely to user's body when he put on a bag. These are our aim for invention.

5

This invention for attain above goal consist of a main body which of space made bottom gradient to body direction from the front of be in pet's head, a form frame which set a pair with a flexible cushion on open surface and get smaller in diameter, and a changeable length shoulder strap which link both of a main body.

10

BRIEF DESCRIPTION OF THE DRAWINGS

15

FIG. 1 is a side view of opened admitted-space.

FIG. 2 is a side view of closed admitted-space.

FIG. 3 is a front view of a pet in the bag.

FIG. 4 is a enlarged cross-sectional view of sliced piece of the form-holder.

20

FIG. 5 is a plane cross-sectional view of opened admitted-space.

FIG. 6 is a plane cross-sectional view of closed admitted-space.

FIG. 7 is a side cross-sectional view of opened form-holder.

FIG. 8 is a plane cross-sectional view of the extended part between

a form-holder and a shoulder strap.

EXAMPLE

5

It is explanation about organization of the correct operation example for the attainment of this invention's aim.

Roughly speaking about organization of this invention, like FIG 1 or FIG 3, it consists of main body(10) that it has admitted-space(12) to keep p
10 ets most comfortable pose, a couple of form-holder(20) that it is set on the upside the open-part(11) of the main body(10) so it keep a frame of main b
ody(10) and open or close the open-part(11) optionally and the shoulder str
ap(30) that it join both of main body(10) so user wear it his shoulder.

It is explanation in more detail about invention organized above.

15

First of all, the main body(10) of the bag having admitted-space(12) have the open-part(11) to go in and out at the upside, the head-part(13) to l
ocate head of pets in the admitted-space(12) under the open-part(11) and th
e body-part(14) to locate body of pets at the opposite head-part(13).

20

The reason why divide the admitted-space(12) into the head-part(13) and the body-part(14) is to consider physical factor of pets, and let pets sto
op down, that is the pose to keep pets most comfort.

The admitted-space(12) made bottom gradient to the body-part(14) di

rection from the front of be in the head-part(13), so it keep a form of a deep pocket that the body-part(14) is deeper than the head-part(13). Then pets can be admitted in admitted-space(12) comfortably with stooping down and see outside through the open-part(11).

5 The form-holder(20) which set a pair with a flexible cushion(21) on surface of the open-part(11), so pets don't feel a pain when it is touched a neck of pets and the main body(10) made of a fibrous tissue keep the basic frame.

10 It get smaller in diameter to the body-part(14) from the head-part(13) of the admitted-space(12), because it makes a pet safe, and a man easy to walk as wearing more closer to his body, and it rest a pet's chin on it to fill a habit of a pet which rest a pet's chin on master's arm and to feel easy.

15 If the diameter of the form-holder(20) is the same, user can not adhere closely to his body because of a falling off in quality of curve. But the form-holder(20) of this invention is easy to adhere closely to user's body because of good quality of curve of the form-holder(20), if the smaller part locate at side of user's body. So pets feel safe in walking because the bag is not shook.

20 This form-holder(20) basically keep the frame of the main body(10) and perform the opening and closing operation which open the open-part(11) optionally as pushing out join-part(22) of the main body(10) and close the open-part(11) as reverting original state.

 The form-holder(20) keep state to push out the join-part(22) of the

main body(10), so pet's head in the admitted space(12) expose outside and he can see outside. Also it close the open-part(11) as reverting original state, so it protect pets safety if pets is sleeping or it is rainy or cold wave or ab normal weather.

5 This invention has the extended-part(23) of fixed width and does not make the form-holder(20) over the all part because the opening and closing operation of the form-holder(20) is smooth. Then the extended-part(23) is backstitch the shoulder strap(30), so pushing or reverting of the form-holder(20) is easy and after operation, state to the opening of closing is maintained
10 without artificial way.

The shoulder strap(30) is linked as a join-ring(31), so user can control length to fit user's body.

According to this invention, a pet can be admit comfortably with stooping down in the admitted space(12) and see outside by exposing his head
15 like FIG.3.

If a pet sleep or is in abnormal weather in this state, user fold up a couple of the form-holder(20) and close the open-part(11).

If user wear the bag, the form-holder(20) adhere closely to his body and prevent shaking of the bag. So a pet is solved uneasiness and in a master's arms peacefully.
20

INDUSTRIAL APPLICABILITY

This invention offer following effect. It has admitted-space to keep pets most easy pose, so it can admit pets comfortably.

It is set form-holder on the open-part and it can open or close the open-part optionally, so pet's head expose outside. Then Pets can see outside normally, and feel ease inside admitted-space in abnormal weather.

Also it can adhere closely to user's body and prevent shaking on walk.

What is claimed is:

1. The moving bag for pets that it consist of a main body (10) that it is set the open-part (11) on the upside and it has admitted-space (12) made bottom (15) gradient to body (14) direction from the front of be in pet's head (13), a form-holder (20) which set a pair with a flexible cushion (21) on open surface (11) and get smaller in diameter to body (14) direction from the front of be in pet's head (13), and a changeable length shoulder strap (30) which link both of a main body (10).
5
10
2. As claim 1, The above form-holder (20) keep the basic form of main body (10) and function as a pet's chin prop. It also open the open-part (11) to see outside for pets as push out the join-part (22) of the main body (10) or close the open-part (11) as pull in the join-part (22), so it protect pets from abnormal weather.
15
3. As claim 2 or claim 3, The above form-holder (20) have extended part be made regular width to smooth opening and closing action and it is backstitch shoulder strap on the extended part, when user wear the bag, small diameter part locate in side of user's body to adhere closely to user's body easier.
20

1/5




FIG 1

2/5




FIG 2

3/5




FIG 3




FIG 4

4/5




FIG 5




FIG 6

5/5




FIG 7




FIG 8

INTERNATIONAL SEARCH REPORT

International application No.
PCT/KR2003/002021

A. CLASSIFICATION OF SUBJECT MATTER

IPC7 A01K 29/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

A01K 13/00, 29/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
Korean Patents and applications for inventions since 1975, Korean Utility models and applications for Utility models since 1975 and
Japanese Utility models and applications for Utility models since 1975

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
IBM, Delphion, USPTO

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4,977,857 (Nora Slawinski) December 18, 1990 see the claims, the drawings	1
A	US 3,850,144 (Mary Lou Springer et al.) November 26, 1974 see the whole document	1
A	JP 2000-316412 A(Kawamura Shuji) November 21, 2000 see claim 2, the drawings	1
A	KR 1989-0008691 Y1(Nora Slawinski) May 30, 1989 see the claims, the drawings	1
A	KR 1985-0003692 Y1(Kim, Jae-joon) July 08, 1985 see the claims, the drawings	1

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family


Date of the actual completion of the international search

20 JANUARY 2004 (20.01.2004)

Date of mailing of the international search report

20 JANUARY 2004 (20.01.2004)

Name and mailing address of the ISA/KR

 Korean Intellectual Property Office
920 Dunsan-dong, Seo-gu, Daejeon 302-701,
Republic of Korea
Facsimile No. 82-42-472-7140

Authorized officer

KIM, Tae San

Telephone No. 82-42-481-5633

